

Motorcycle Accessories

N45° 48' 36.211" - E8° 47' 45.392"

MANUFACTURED IN ITALY  Since 1947



2018



Sherco Factory Racing - Photo JM Rouget



MANUFACTURED IN ITALY Since 1947

# UNA STORIA TUTTA ITALIANA

Benvenuti in Ariete. Da 70 anni la nostra Azienda è conosciuta ed apprezzata da motociclisti di tutto il mondo per l'alta qualità dei suoi prodotti, in gomma e materie plastiche. Il carattere familiare del Management, giunto alla terza generazione, continua con la stessa passione e determinazione del suo fondatore, Sandro Mentasti, che nel lontano 1947 ebbe l'idea di progettare, produrre ed offrire al Motociclista accessori e ricambi moto di altissima qualità.

Altissima qualità che in Ariete raggiungiamo con la Ricerca, a livello mondiale, orientata a pregiatissime materie prime poi elaborate con sofisticate tecnologie di produzione nel pieno rispetto dell'ambiente secondo il nostro disciplinare "Sandro Mentasti Environmental Protection Program".

Svolgiamo questa attività grazie al valore dei nostri preziosi ed esperti Collaboratori che con passione e dedizione esprimono l'esperienza acquisita e maturata dall'Azienda nei suoi 70 anni di storia e ci permettono di proporre ai mercati di tutto il mondo prodotti di alta gamma concepiti, realizzati, testati ed infine certificati in grado di soddisfare pienamente il Motociclista più esigente sia che si trovi in un percorso urbano, in pista, o nel più impervio serrato off-road.

Questo Catalogo è il focus sui prodotti di punta, oltre 800, del Programma Accessori Moto nel quale è racchiusa l'essenza di quello spirito vitale che esprime il "Made in Italy by Ariete". Buona lettura!

Ariete: evoluzione dell'esperienza made in Italy.




CONCEPT



TOOLS



MOULD



INJ. MOULDING



QUALITY CONTROL



# AN ALL ITALIAN HISTORY

Welcome to Ariete. For over 70 years, our company has been responding to the needs of motorcyclists from all over the world by providing high quality rubber and plastic products. The family nature of our managerial staff, now in its third generation, continues with the same passion and determination as the founder, Sandro Mentasti, who in 1947 conceived the idea of designing and manufacturing high quality motorcycle accessories and spare parts for motorcyclists.

The high quality in Ariete is achieved by global research programs with a focus on high quality raw materials processed using sophisticated, environmentally friendly production technologies in accordance with our Sandro Mentasti Environmental Protection Program.

We work together with our passionate and dedicated expert partners who have gained experience in the company in its 70 years. This enables us to provide global markets with high-end products designed, manufactured, tested and certified that are able to fully satisfy the most demanding motorcyclist whether they are in an urban environment, on a racetrack, or on the most gruelling off-road dirt track.

This Ariete catalogue, contains over 800 leading products in the Motorcycle Accessories Program and encapsulates the essence of the spirit of Made in Italy by Ariete. Enjoy your read!

Ariete: the evolution of Made in Italy experience.



COMPONENTS



STITCHING



ASSEMBLY



PACKAGING



SHIPPING



# DISCLAIMER

## ESCLUSIONE DI RESPONSABILITÀ

I prodotti Ariete, Ari ed Harri's, pur essendo di altissima qualità, non possono prevenire danni in caso di impatto. Prima di utilizzare i prodotti Ariete, Ari ed Harri's Vi preghiamo di leggere attentamente le istruzioni fornite per l'uso ed il montaggio. La Sandro Mentasti Srl compie ogni sforzo al fine di assicurare che le informazioni contenute nel presente catalogo siano corrette e dettagliate, nonché di facile comprensione, ma declina ogni responsabilità per eventuali errori di interpretazione ed in caso di dubbi, anche in merito al montaggio e/o alle condizioni per l'uso, Vi invita a contattarla all'indirizzo e-mail: [info@ariete.com](mailto:info@ariete.com). In ogni caso, è esclusa la responsabilità della Sandro Mentasti Srl per eventuali danni a cose e/o persone occorsi durante l'uso dei prodotti nonché per eventuali danni derivanti da usi non corretti, speciali, eccezionali e/o comunque diversi da quelli cui il prodotto era stato originariamente destinato, da errori di montaggio e/o di installazione.

La Sandro Mentasti Srl realizza direttamente i propri prodotti, commercializzandoli con i marchi ARIETE, ARI ed HARRI'S. L'utilizzo, all'interno dei cataloghi, di eventuali codici originali di prodotti recanti marchi diversi da quelli summenzionati è da intendersi meramente descrittivo, così come l'eventuale utilizzo di marchi e/o denominazioni di altre case produttrici (a titolo esemplificativo, PIAGGIO®, HONDA®, YAMAHA®, SUZUKI®, KAWASAKI®, BMW®), cui la Sandro Mentasti Srl non è in alcun modo collegata. Tale utilizzo ha il solo fine di descrivere l'accessorio e/o il ricambio.

Photo - Allegra Mare

## EXCLUSION OF LIABILITY

Ariete, ARI and Harri's products, while being of very high quality, may be subject to damage in case of impact or accident. Before using Ariete, Ari or Harri's products, please carefully read the instructions for use and installation. Sandro Mentasti Srl makes every effort to ensure that the information contained in this catalogue is correct and easy to understand, with some information specific to individual products, but accepts no responsibility for any misinterpretation. If you should require any further information, regarding assembly and/or conditions for use, please contact Sandro Mentasti Srl by e-mail at [info@ariete.com](mailto:info@ariete.com). In any event, Sandro Mentasti Srl is not liable for any damage to property and/or persons caused during the use of its products, and neither for any damage resulting from incorrect use and/or use other than that for which the product was originally intended, and damage resulting from assembly errors and/or incorrect installation.

Sandro Mentasti Srl manufactures its products directly, and markets them with the ARETE, ARI and HARRI'S brands. The use contained within the catalogues of any original product codes bearing brands other than those mentioned above is intended as merely descriptive, as well as the possible use of trademarks and / or names of other manufacturers (for example, PIAGGIO®, HONDA®, YAMAHA®, SUZUKI®, KAWASAKI®, BMW®), which Sandro Mentasti Srl is in no way connected. The only purpose of this use is to describe the accessory and/or the part.

# CONTENTS

## OFF-ROAD

Ariete Experience	10
Goggles Optics Technology	12
Safety Goggles Technology	14
OFF-ROAD GOGGLES	
07 Line AAA junior goggles	18
Adrenaline Primis goggles	20
Adrenaline Primis Multi-layer goggles	22
Adrenaline Profi goggles	24
Riding Crows Basic goggles	26
Riding Crows Top goggles	28
Enduro goggles	30
Rally goggles	31
Ride and Roll Krew goggles	32
Snowmobile goggles	34
Tear-offs	38
BIG/XL Roll-Off	40
Riding Crows spare parts	44
Lenses Technology	46
Lenses	47
OFF-ROAD GRIPS	
Off-Road grips Technology	51
Trinity Grips	52
Duality Grips	54
Unity Slimline Grips	56
Unity Half-Waffle Grips	57
Unity Half-Waffle ASP Grips	58
ATV-Cycle Grips	59
Trial Grips	60
OFF-ROAD ACCESSORIES	
Off-Road Accessories	61
Spark Plug Covers	63
Fork Gaiters Off-Road	64

Nicola Dutto



## ROAD

ROAD GOGGLES	
Feather Goggles	66
Ariete Vintage goggles	70
ROAD GRIPS	
Ariete Heritage Grips	73
Aries Grips	82
Alu-Rub Grips	84
Estoril Grips	87
Standard Grips	88
Grips by brand	95
Vitality Grips	102
Scooter Grips	103
Harri's Road Grips	104
ROAD ACCESSORIES	
Harri's Tank protectors	106
Racing Valves	107

**ARI** THE ORIGINAL FORK OIL SEALS  
Ari 108

## TECHNICAL SPARE PARTS

Brake Caliper & Master Cylinder seal kits	119
DOT3-DOT4 Fluid Pipe	120
Fuel Pipes	122

## FULLY ARIETIZED

Merchandising	124
Goggles Overview	128

# #ARIETE ORIGINAL

I prodotti ARIETE® originali garantiscono il rispetto degli standard di qualità e salvaguardia dell'Ambiente stabiliti dal severo disciplinare della Sandro Mentasti Srl.

Ultimamente circolano nei mercati mondiali delle imitazioni dei nostri prodotti Ariete®, HARRI'S®, ARI ®the original fork oil seals. Queste imitazioni di basso livello qualitativo rappresentano un rischio per la sicurezza dell'Utilizzatore sia in strada che in Off-Road.

**ATTENZIONE NON COMPERATE PRODOTTI CONTRAFFATTI e NON ORIGINALI.**

Per scoprire se il prodotto acquistato è originale Ariete® oppure è contraffatto applichiamo sulle confezioni originali un hologramma che permette di controllarne l'autenticità con pochi passi:

\*collegandosi al sito [www.ariete.com](http://www.ariete.com) ed entrando nella sezione **"Check the authenticity"** si viene ridirezionati al sito ufficiale \*ci si registra e si digitano i 13 numeri del codice a barre od in alternativa il codice alfa-numerico di 2 lettere e 6 numeri dell'hologramma



Be assured that the original ARIETE products guarantee compliance with the highest measures of quality and Environmental protection set by the strict standards of Sandro Mentasti Srl.

Recently, many imitations of our Ariete products have been put on the market, also imitations of our HARRI'S and ARI-the original fork oil seals. These low-quality models pose a risk to the user's safety both on the road and off-road.

**WARNING: DO NOT BUY COUNTERFEIT and NON-ORIGINAL PRODUCTS.**

In order to find out whether the purchased item is original by Ariete or is counterfeit, we apply a hologram to the original packaging. To check its authenticity in a few easy steps:

\* Go to [www.ariete.com](http://www.ariete.com) and enter the "Check the authenticity" section and you will be redirected to the official website

\* Register and enter the 13-bar code number or, alternatively, the alpha-numeric code of 2 letters and 6 hologram numbers

Sandro Mentasti Environmental Protection Program. Varato nel 2007 questo progetto nasce dalla volontà di promuovere ed applicare una cultura interna aziendale più sensibile all'ambiente basata sulla compatibilità tra la nostra industria e la salvaguardia ambientale. Obiettivo dell'impegno la riduzione dei consumi energetici nella produzione, l'eliminazione di materiali tossici ed un adeguato sviluppo della ricerca e dell'innovazione tecnologica orientati al rispetto dell'ambiente naturale. Tutti i nostri articoli commercializzati con i marchi Ariete, Harri's ed ARI sono l'espressione di questa nostra filosofia di dialogo tra ecologia ed industria.

Risultati concreti sono già stati raggiunti nel risparmio energetico distribuito in azienda tramite trasformatori ecologicamente certificati, nella gestione dei rifiuti speciali smaltiti in ottemperanza alle norme di legge da ditte specializzate ed omologate, nella gestione della raccolta differenziata dei rifiuti, nella drastica riduzione del consumo di acqua per mezzo di un impianto a circuito chiuso per il termo-condizionamento di presse ed attrezzature, nell'ottimizzazione dell'impianto di riscaldamento dei reparti e degli uffici con nuove caldaie termiche a condensazione con emissioni quasi nulle nell'atmosfera, nel notevole risparmio della carta per uso interno (modulistica, fotocopie, stampe di e-mail etc.), nell'adozione di imballi e packaging dei prodotti ecologicamente classificati, cataloghi stampati rigorosamente su carta riciclata "certificata".

Sandro Mentasti Environmental Protection Program. This project, founded in 2007, is born out of the desire to promote and apply a more environmentally friendly business culture based on the compatibility between our industry and environmental protection. The commitment aims at reducing energy consumption in production, at eliminating toxic materials, and looks at a proper development of research and technological innovation with the goal of respecting the natural environment. All of our products marketed with Ariete, Harri's and ARI brands are the expression of our philosophy of dialogue between ecology and industry.

Concrete results have already been achieved in the company's energy saving through ecologically certified electrical transformers, in the management of special waste disposed of in compliance with law by specialized and homologated companies, in the management of recycling, in the drastic reduction in water consumption by means of a closed loop system for the thermo-conditioning of presses and equipment, in the optimization of the heating system of the departments and offices thanks to new thermal condensing boilers with almost zero emissions in the atmosphere, in the considerable saving of paper for internal use (forms, photocopies, e-mail prints, etc.), and the adoption of packaging of ecologically classified products, with catalogs printed strictly on "certified" recycled paper.

# #ROSSO ARIETE

Rosso Ariete, il colore della sfida! Possedere un prodotto Ariete significa avere la consapevolezza di far parte della storia del motociclismo.

La nostra Storia inizia nel 1947 e continuiamo con la stessa passione ed entusiasmo degli inizi arricchiti dall'esperienza maturata in questi 70 anni.



Photo - Alegra Maré

Red Ariete, the color of challenge! Owing an Ariete product means having the awareness of being part of motorcycling history. Our History begins in 1947 and we continue with the same passion and enthusiasm of the first years enriched by the experience gained in these 70 years.

Una maschera Ariete, una, sola ed insostituibile.

Tecnologia, Comfort, Ricerca, Performance, Moda, Off-Road, Road, Sicurezza, Affidabilità, tutto in una sola parola....  
passione per Ariete!



Vanni Oddera - Photo D. Bologna

Ariete goggles, one, alone and irreplaceable.


Technology, Comfort, Research, Performance, Fashion, Off-Road, Road, Safety, Reliability, all in one word ... Passion for Ariete!

# ARIETE EXPERIENCE


**TRENDY**

**HIGH TECHNOLOGY**

# ARIETE EXPERIENCE



INNOVATION



HIGH  
QUALITY

RESEARCH



Kariete®

# GOGGLES TECHNOLOGY



Andrés Benenau

## SVILUPPO NELLE COMPETIZIONI

Ogni progetto viene affinato con innumerevoli tests pratici da parte dei migliori Piloti dei campionati mondiali delle diverse discipline Off-Road.  
Tutti i suggerimenti dei Piloti vengono elaborati e trasferiti nella maschera finale che viene poi certificata dall'Ente Certificatore.

## RACE-BASED DEVELOPMENT


Each project is refined and tested by Ariete riders in relevant off-road world championship events.  
Rider feed-back is agreed and incorporated into the final design before this is submitted to the certifying authority for approval.

## AMPIZZA CAMPO VISIVO

I Tecnici Ariete hanno sviluppato un frame che permette un ampio campo visivo sia lateralmente che verticalmente consentendo al Pilota la massima visibilità dell'ambiente che lo circonda a tutto vantaggio della sicurezza.  
Le maschere Adrenaline e Riding Crows permettono l'uso di occhiali da vista (OTG)

## FIELD OF VISION

Ariete technicians have developed a frame that allows a wide field of view both laterally and vertically. This feature makes a vital contribution to rider safety.  
Adrenaline and Riding Crows goggles are OTG –over the glasses models.



## A.V.S. ARIETE VENTILATION SYSTEM

Il Sistema di Ventilazione Ariete, utilizzando specifiche aree per l'ingresso e la fuoriuscita dell'aria, interviene direttamente sulla temperatura all'interno dell'occhiale e sfruttando il profilo frontale superiore del frame, opportunamente ribassato, facilita l'afflusso di aria alle prese di ventilazione del casco.

## A.V.S. ARIETE VENTILATION SYSTEM

The Ariete Ventilation System uses carefully chosen areas for the intake and exhaust of cooling air. Airflow from the goggles, whose upper front profile is specially lowered to aid this process, enters the collecting vents at the front of the helmet, flows across the rider's head, and leaves the back of the helmet in a continuous process.

# GOGGLES TECHNOLOGY



## ALTA TECNOLOGIA

Per realizzare le proprie maschere Ariete si avvale delle tecnologie più avanzate per la produzione di ogni singolo componente. Sofisticate attrezzature permettono di raggiungere quell'alto standard qualitativo che pone le maschere Ariete al top del mercato mondiale.

## HIGH TECHNOLOGY

Ariete goggle frames and ancillary components are made with the best technology available. The quality of the tooling ensures that the finish achieved is exemplary.



## MATERIALI PREGIATI

Le materie prime impiegate sono frutto di meticolosa ricerca da parte di Ariete presso le più prestigiose industrie petrolchimiche nei vari continenti in modo da garantire la massima qualità dei materiali impiegati che si riscontra nelle maschere Ariete.

## FINE MATERIALS

The search for new materials is never-ending. Ariete has for years worked with the world's best-known petro-chemical companies. The materials used are the result of research carried out by these companies, and are the best we can find.



# SAFETY GOGGLES TECHNOLOGY



## CERTIFICAZIONI

L'occhiale e le lenti Ariete sono certificati secondo le norme europee EN 1938:2010; le lenti sono provviste di trattamento anti-fog che è opzionale secondo la norma europea EN 1938:2010, superano i test di impatto "High Mass" e "High velocity" secondo la norma americana ANSI Z87.1-2003 e rispondono alle caratteristiche prescritte dalla norma americana VESC-8.

## CERTIFICATIONS

Ariete goggles and lenses are certified according to European standards EN 1938:2010; they are provided with Anti-fog treatment, which is optional under European standard EN 1938:2010; they pass the "High Mass" and "High velocity" impact tests provided for by American ANSI standard Z87.1-2003; they meet the requirements of American standard VESC-8.


## SICUREZZA

La lente dell'occhiale ARIETE resiste all'impatto di una sfera d'acciaio di 6 mm di diametro lanciata a 216 km/h ! Il trattamento anti-fog resiste a più del doppio del minimo requisito dalla norma 168:2001.16

## SAFETY

The ARIETE lens will withstand a 6 mm. steel ball hitting it at 135 miles per hour!

The anti-fog treatment withstands more than twice the minimum requirement of standard 168: 2001.16



## MARCATURA

Sull'etichetta dell'occhiale vengono riportate le categorie di trasmissione luminosa delle lenti

## MARKING


The label on the goggles provides the transparency categories of Ariete lenses

# SAFETY GOGGLES TECHNOLOGY




07 LINE

- Small/Tight Fitment
- Tight comfort
- Compact structure



ADRENALINE

- Medium Fitment
- OTG (Over The Glasses) Design
- Extra Ventilation
- Compatible with BIG/XL Roll-off kit



RIDING CROWS

- Medium/Large Fitment
- OTG (Over The Glasses) Design
- 3D Thermoformed Foam For Improved Fit
- Asian Fitting Foam Available
- Adjustable Outriggers For Perfect Helmet Fit
- Compatible with BIG/XL Roll-off kit



## ONE LENS FITS ALL ARIETE GOGGLES

UV rays total protection

Best Anti fog coating

Distortion-free

Top Lexan®lenses

AVS Ariete Ventilation System

Tough PUR frame

Hypo-allergenic foams in contact with the skin

Elastic strap with anti-slip silicone bead

Double buckle for quick adjustment

Safety and Certifications

All models are manufactured in Italy



# OFF-ROAD GOGGLES



MX Trainer - Photo D. Mussillo


## OFF-ROAD GOGGLES



Stefano Martignoni - Photo A. Barbanti

# 07LINE AAA junior TECHNOLOGY

## FEATURES



### VENTILATION

A.V.S. Ariete Ventilation System  
Open filters

### LENS

Policarbonate clear lens  
Distortion-free lens  
Best Anti-fog coating  
Anti-scratch treatment  
UV rays total protection



### FRAME

Small/Tight Fitment  
Compact structure  
Suitable for KIDS helmets  
Strong and durable frame

### FACE FOAM

Super-soft technical foam with open cells  
Hypo-allergenic foam in contact with the skin



### ELASTIC STRAP

Anti-slip silicone bead  
Pin to suit tear-off use  
Double buckle



## 07LINE AAA junior GOGGLES



12960-ABIA



12960-AORA



12960-ABLU



12960-ANER




12960-ARED



# ADRENALINE PRIMIS TECHNOLOGY



## FEATURES



## OPTIONAL ACCESSORIES



## ADRENALINE PRIMIS GOGGLES



14001-PRO



14001-PRAA



14001-PRN



14001-PRR




14001-PRB




14001-PRL



# ADRENALINE PRIMI'S MULTI-LAYER TECHNOLOGY



## FEATURES



## OPTIONAL ACCESSORIES



# ADRENALINE PRIMIS MULTI-LAYER GOGGLES



14001-OBS



14001-OAA



14001-ONV



14001-OBR



14001-ORR



14001-ONS



# ADRENALINE PROFI TECHNOLOGY

## VENTILATION

A.V.S. Ariete Ventilation System  
Extra Ventilation  
Open filters

## LENS

Clear lens in Lexan®  
Distortion-free lens  
Best Anti-fog coating  
Anti-scratch treatment  
Pins to suit roll-off or tear-off use  
UV rays total protection



Bacteriostatic



High Performance



Natural



Heat regulating and moisture transfer



FRAME  
Medium Fitment  
O.T.G. (Over The Glasses) Design  
Compatible with BIG/XL Roll-Off Kit  
Tough PURframe for low-temperature flexibility  
Anti-UV lacquered frame  
CE approved

## 3-LAYER FACE FOAM

1st technical foam layer with closed cells  
2nd super-soft technical foam layer with open cells  
3rd layer of red hypo-allergenic CARBON X in contact with the skin



## ELASTIC STRAP

Anti-slip silicone bead  
Pin to suit tear-off use  
Double buckle



## FEATURES



## OPTIONAL ACCESSORIES



## ADRENALINE PROFI GOGGLES



14001-TLO



14001-NGF



14001-NNV



14001-PRAG



14001-BBN



14001-BAG



# RIDING CROWS BASIC TECHNOLOGY

## FRAME

Medium/Large Fitment  
O.T.G. (Over The Glasses) Design  
Compatible with BIG/XL Roll-Off Kit  
Tough PUR frame for low-temperature flexibility  
Adjustable Outriggers For Perfect Helmet Fit  
CE approved



## ELASTIC STRAP

Anti-slip silicone bead  
Double buckle for quick adjustment  
QD pin allows headband to be removed and cleaned




## FEATURES



## 2-LAYER FACE FOAM

1st super-soft technical foam layer with open cells  
2nd layer of black hypo-allergenic pile in contact with the skin  
3D Thermo-formed sponge lining for unmatched comfort and feel  
Asian Fitting Foam Available



## OPTIONAL ACCESSORIES



# RIDING CROWS BASIC GOGGLES



13950-NNV  
13953-NNV ASIAN FITTING FOAM



13950-NNA  
13953-NNA ASIAN FITTING FOAM



13950-BNB  
13953-BNB ASIAN FITTING FOAM



13950-RBB  
13953-RBB ASIAN FITTING FOAM



13950-OBB  
13953-OBB ASIAN FITTING FOAM



13950-ABB  
13953-ABB ASIAN FITTING FOAM



# RIDING CROWS TOP TECHNOLOGY

## VENTILATION

Extra Ventilation  
A.V.S. Ariete Ventilation System  
Open filters

## LENS

Clear lens in Lexan®  
Distortion-free lens  
Best Anti-fog coating  
Anti-scratch treatment  
Provided with pins to suit roll-off or tear-off use  
UV rays total protection



## ELASTIC STRAP

Anti-slip silicone bead  
Double buckle for quick adjustment  
QD pin allows headband to be removed and cleaned




## FRAME

Medium/Large Fitment  
O.T.G. (Over The Glasses) Design  
Compatible with BIG/XL Roll-Off Kit  
Tough PUR frame for low-temperature flexibility  
Adjustable Outriggers For Perfect Helmet Fit  
Logo in lacquered metal  
CE approved

**3-LAYER FACE FOAM**  
1st technical foam layer with closed cells  
2nd super-soft technical foam layer with open cells  
3rd hypo-allergenic pile layer in contact with the skin  
3D Thermo-formed sponge lining for unmatched comfort and feel  
Asian Fitting Foam Available



## FEATURES



## OPTIONAL ACCESSORIES



# RIDING CROWS TOP GOGGLES



13950-TLOV  
13953-TLOV ASIAN FITTING FOAM



13950-TLRA  
13953-TLRA ASIAN FITTING FOAM



13950-TBAG  
13953-TBAG ASIAN FITTING FOAM



13950-TNGF  
13953-TNGF ASIAN FITTING FOAM



13950-TBGR  
13953-TBGR ASIAN FITTING FOAM



13950-TRGF  
13953-TRGF ASIAN FITTING FOAM




# ADRENALINE PRIMIS ENDURO GOGGLES



14001-EN

## FEATURES



## OPTIONAL ACCESSORIES



# RIDING CROWS BASIC ENDURO GOGGLES




13950-ENBN

13953-ENBN ASIAN FITTING FOAM



## FEATURES



## OPTIONAL ACCESSORIES




# ADRENALINE SENIOR RALLY GOGGLES



14001-DNS

## FEATURES



## OPTIONAL ACCESSORIES




# RIDING CROWS TOP RALLY GOGGLES



13950-DNGF

## FEATURES



## OPTIONAL ACCESSORIES



# RIDE AND ROLL KREW GOGGLES



Massimo Biancondini - Photo M. Cannizzaro

## RIDE AND ROLL KREW GOGGLES



14001-RRTA  
FEATURES ADRENALINE PRIMIS



13950-RRPA  
FEATURES RIDING CROWS BASIC



14001-RRLA  
FEATURES ADRENALINE PROFI



Alex Salvini - Photo Beta Press - C. Morello



# SNOWMOBILE GOGGLES



©BRP Finland Oy

# SNOWMOBILE GOGGLES TECHNOLOGY

## FRAME

Medium/Large Fitment  
O.T.G. (Over The Glasses) Design  
Compatible with BIG/XL Roll-Off Kit  
Tough PUR frame for low-temperature flexibility  
Anti-UV lacquered frame



## LENS

Double, cylindrical, ventilated lens  
Distortion-free lens  
Anti-fog inner lens  
UV rays total protection  
removable filters for cleaning purposes

## VENTILATION

A.V.S. Ariete Ventilation System  
Extra Ventilation  
Closed filters

## COMMON FEATURES


## ELASTIC STRAP

Anti-slip silicone bead  
Pin to suit tear-off use  
Double buckle



FOAM  
sponge lining for unmatched comfort and feel  
hypo-allergenic foam in contact with the skin  
extra-thick foam

Spugna maggiorata  
Extra-thick foam



## COMMON OPTIONAL ACCESSORIES



# SNOWMOBILE GOGGLES



14001-MB15 - ADRENALINE



14001-MBNG - ADRENALINE



14001-MBRA - ADRENALINE



13950-MMBC - RIDING CROWS



13950-MMOA - RIDING CROWS



13950-MMNO - RIDING CROWS




# RIDING CROWS TOP SNOWMOBILE GOGGLES



13950-MTNR

## FEATURES



13950-MTNS

## OPTIONAL ACCESSORIES



# TEAR-OFFS FOR 07 - ADRENALINE - RIDING CROWS



## STANDARD

12964-TOLE

Kit 5 pacchetti, 6 Tear-offs/pacchetto. Lenti a strappo standard da applicare sulla lente.

Kit 5 stacks, 6 Tear-offs/stack Standard tear-offs to place on the lenses.

Kit 5 paquetes, 6 Tear-offs/paquete. Tirables estandard para utilizar sobre la lente.




## SUITABLE FOR ROLL-OFF STANDARD ROLL-OFF AND BIG/XL ROLL-OFF

12964-TORO

Kit 3 pacchetti, 6 Tear-offs/pacchetto. Lenti a strappo specifiche da applicare sul Roll-off.

Kit 3 stacks, 6 Tear-offs/stack. Specific tear-offs to place on the Roll-off system.

Kit 3 paquetes, 6 Tear-offs/paquete. Tirables específicos para aplicar sobre el Roll-off.



## SUITABLE FOR VENTILATED LENSES


12964-TOV

Kit 3 pacchetti, 6 Tear-offs/pacchetto. Lenti a strappo specifiche da applicare su lenti ventilate.

Kit 3 stacks, 6 Tear-offs/stack. Specific tear-offs to place on ventilated lenses.

Kit 3 paquetes, 6 Tear-offs/paquete. Tirables específicos para aplicar sobre lentes ventiladas.

# TEAR-OFFS LAMINATED RECOMMENDED FOR RACE




12964-TOLL Patented technology by Racing Optics® USA

Kit 3 pacchetti, 7 Tear-offs/pacchetto. I tearoffs laminati sono 7 lenti a strappo "sigillate" tra loro.

Kit 3 stacks, 7 Tear-offs/stack. Mount 7 layers at one time and stack up to 21 tear-offs.

Kit 3 paquetes, 7 Tear-offs/paquete. Los tearoffs laminados son 7 películas desechables selladas entre si, que puedes montar hasta 3 kits.



## TEAR-OFF RACING PINS

12964-RE

Clips eccentriche regolabili per tear-offs. Tendono al massimo la lente a strappo evitando che polvere e sporco si infilino tra il tear-off e la lente, vendute a paio; uso professionale.

Eccentric pins for precise tear-off adjustment to avoid dust between lens and tearoff, sold in pairs, professional use.

Clips regulables para tender al máximo el tear-off evitando que el polvo y la suciedad se introduzcan entre la lente removible y el cristal, se venden por pares, uso profesional.



# BIG/XL ROLL-OFF

## APPLICATIONS

- ✓ ADRENALINE
- ✓ RIDING CROWS
- ✗ 07 LINE



1



2



3



4



5



6



# BIG/XL ROLL-OFF KIT

KIT BIG/XL Roll-Off 12962-RCRO

- 2 canistri / canisters / contenedores
- 2 rullini / rolls of film / rollos de película transparente
- 1 guida di scorrimento / 1 anti-stick slide rail / carril transparente
- 1 mud flap



# BIG/XL ROLL-OFF SPARE PARTS



12963-RCMF 3 pcs.


## BIG/XL ROLLS



12962-RCRU 6 pcs. +4 mm.



## SLIDING RAILS



12967-RC 3 pcs.


### ASSEMBLED LENS BIG/XL ROLL-OFF

- 1 lente per BIG/XL Roll-Off/ lens / lente cod.12961-RCFR
- 2 canistri premontati / assembled canisters / contenedores puestos
- 2 rullini / rolls of film / rollos de película transparente
- 1 guida di scorrimento / 1 anti-stick slide rail / carril transparente
- 1 mud flap
- 6 Tear-offs for Roll-Off gratis / for free / sin cargo



12961-RCRO

### BIG/XL ROLL-OFF LENS




12961-RCFR

# BIG/XL ROLL-OFF ADRENALINE PRIMIS GOGGLES



14001-NRON

## FEATURES



## OPTIONAL ACCESSORIES



# BIG/XL ROLL-OFF RIDING CROWS BASIC GOGGLES




13950-ROBN

13953-ROBN ASIAN FITTING FOAM



## FEATURES



## OPTIONAL ACCESSORIES



NOSE GUARD



# RIDING CROWS SPARE PARTS




ARIETE LENSES



Paolo Ciapessoni - Photo Off Road Passion



# LENSES TECHNOLOGY




#ariete\_best\_eye\_protection  
#one\_lens\_fits\_all\_ariete\_goggles  
#distortion\_free  
#ariete\_impact\_protection  
#ariete\_best\_antifog



# LENSES FOR 07 - ADRENALINE - RIDING CROWS

Kevin Horgan - Photo J. Gimeno/Red sand MX Park



CAT. 0



CAT. 1



CAT. 2



CAT. 3



12961-PCCH  
CLEARAIR



12961-SCCH  
CLEARAIR



12961-RCFR  
CLEARAIR



12961-DCC  
CLEARAIR



12961-DCVC  
CLEARAIR



12961-DCV  
CLEARAIR



12961-DCHL  
CLEARAIR



12961-MUAZ  
MULTI LAYER  
RAINBOW



12961-PCA  
Z  
BLUE SKY



12961-PCG  
YELLOW DESERT



12961-DCGV  
YELLOW DESERT



12961-PCAR  
LIGHT CORAL



12961-SCAR  
LIGHT CORAL



12961-DCOC  
LIGHT CORAL



12961-DCOV  
LIGHT CORAL



12961-PCFA  
BLUE CREEK



12961-SCFA  
BLUE CREEK



12961-DCFA  
BLUE CREEK



12961-PCSP  
SILVER CHROME



12961-SCSC  
SILVER CHROME



12961-DCSV  
SILVER CHROME



12961-MLR  
MULTILAYER RED



12961-MLRC  
MULTILAYER RED



12961-MLA  
MULTILAYER BLUE



12961-MLAC  
MULTILAYER BLUE



12961-MLV  
MULTILAYER GREEN



12961-MLVC  
MULTILAYER GREEN



12961-SCST  
SILVER CHROME



12961-DCST  
SILVER CHROME



12961-DMLR  
MULTILAYER RED

# LENSES

	SINGLE	DOUBLE	100 % UV FILTERS	NO FOG	ANTI SCRATCH	VENTILATED	LENS FOR ROLL-OFF	LENS FOR TEAR-OFF	One Size Fits All ARIETTE FRAMES	MULTILAYERS TREATMENT	MIRRORED	CE EUROPEAN CONFORMITY
CLEARAIR		12961-PCCH										
CLEARAIR		12961-SCCH										
CLEARAIR		12961-RCFR										
CLEARAIR		12961-DCC										
CLEARAIR		12961-DCVC										
CLEARAIR		12961-DCV										
CLEARAIR		12961-DCHL										
MULTI LAYER RAINBOW		12961-MUAZ										
BLUE SKY		12961-PCAZ										
YELLOW DESERT		12961-PCG										
YELLOW DESERT		12961-DCGV										
LIGHT CORAL		12961-PCAR										
LIGHT CORAL		12961-SCAR										
LIGHT CORAL		12961-DCOC										
LIGHT CORAL		12961-DCOV										



CAT. 0



CAT. 1

# LENSES


		SINGLE	DOUBLE	100% UV FILTERS	NO FOG	ANTI SCRATCH	VENTILATED	LENS FOR STANDARD ROLL OFF	LENS FOR TEAR OFF	One Size Fits All ARIETE FRAMES	MULTILAYERS TREATMENT	MIRRORED	CE	EUROPEAN CONFORMITY
CAT. 1	BLUE CREEK													
	BLUE CREEK													
	BLUE CREEK													
CAT. 2	SILVER CHROME													
	SILVER CHROME													
	SILVER CHROME													
	MULTILAYER RED													
	MULTILAYER RED													
	MULTILAYER BLUE													
	MULTILAYER BLUE													
	MULTILAYER GREEN													
	MULTILAYER GREEN													
CAT. 3	SILVER CHROME													
	SILVER CHROME													
	MULTI LAYER													

# OFF-ROAD GRIPS TECHNOLOGY




Ivan Cervantes - Honda Team

# OFF-ROAD GRIPS TECHNOLOGY



# TRINITY GRIPS





02614-GRRN



02614-BNR




02614-GRAR



02614-GRAN






# DUALITY GRIPS




# DUALITY GRIPS



# UNITY SLIMLINE GRIPS




# UNITY HALF-WAFFLE GRIPS



02621 Soft



02621-B Soft




02621/H Medium



02621-N Soft



# UNITY HALF-WAFFLE ASP GRIPS




# ATV- CYCLE GRIPS




**Ariete**

## TRIAL GRIPS



## RALLY GRIPS



## CLASSIC MX GRIPS




# OFF-ROAD ACCESSORIES


## BRAKE LOCK




12951



## MUD SCRAPER



12952



Kariete®

# OFF-ROAD ACCESSORIES

## SUPER FAST GRIP GLUE 20gr.



12992

## BIG FOOT Pack 10 pcs.



11993




11993-R



SIDE STAND

## VARIOUS



09957



10936

con valvola/ air-valve included/válvula incluida



10915 1,60"  
10916 1,85"  
10917 2,15"



10901  
 $\varnothing$  19-38



13904  
 $\varnothing$  24-48

# SPARK PLUG COVERS

# OFF-ROAD



## RACING

- 5.000 Ohm resistance
- high performance ceramic resistor, suits ø 6,4 mm dia. SAE spark plug nut
- totally waterproof



12949/S  
silicone

12949  
EPDM



04999 small ø 3,9  
silicone  
04999/A standard ø 6,3  
silicone

Ø 6,3  
PACK 5 pcs.



09965  
silicone




09965-A  
silicone



09965 / A  
silicone

# FORK GAITERS OFF-ROAD

	CODE	COLOUR	Ø TUBE	Ø SLIDER	L. MIN	L. MAX
	09932	Black	40/43	57/60	75	500
	09932-A	Blue	40/43	57/60	75	500
	09932-R	Red	40/43	57/60	75	500
	09941	Black	28/32	52/54	55	310
	09943	Black	35/38	56/59	85	440
	09950	Black	43/46	58/63	90	600
	06962	Black	32/34	52/54	65	300
	07901	Black	35/38	56/60	85	440
	07907	Black	28/30	46/48	50	215
	07995	Black	38/41	58/62	95	430
	07995-A	Blue	38/41	58/62	95	430
	07995-R	Red	38/41	58/62	95	430
	09974	Black	43/45	57/60	70	240
	09981	Black	39/41	58/60	105	290
64	09942/A-A	Blue	33/38	50/55	100	335



FEATHER GOGGLES




Anvil Motociclette - Photo L. Consolini



# FEATHER TECHNOLOGY



## FEATURES



# FEATHER GOGGLES



14920-NNBC



14920-TNB



14920-TCCR



14920-NNBL



14920-MMV



14920-ABVA



# FEATHER GOGGLES



14920-TNBO



14920-MVC



14920-BNBG



14920-GCG

# ARIETE VINTAGE GOGGLES




CEK Alberto Cecotti - Photo Riders

Ariete®

# ARIETE VINTAGE TECHNOLOGY



## FEATURES



## ARIETE VINTAGE GOGGLES



13990-NRF



13990-MCF



# ARIETE HERITAGE GRIPS

Ariete Heritage  
Grips Collection

EST. 1947



Photo - Simone De Panfilis





125 mm

00680-CFN



Ø 1"-25,4mm



00680-CFR



Ø 1"-25,4mm



00680-CFM



Ø 1"-25,4mm

## ARIETE HERITAGE GRIPS



125 mm

00691-CFN



00691-CFR



00691-CFM




# ARIETE HERITAGE GRIPS


ARIETE  
Ariete Heritage  
Grips Collection



130 mm



130 mm



01617/A-P



CLOSED



OPEN



01617/A



CLOSED



OPEN



01617-CFN



CLOSED



OPEN


130 mm



01617/A-R



01617-CFR



01617-CFM



125 mm



01683-CFN



01683-CFR



01683-CFM



# ARIETE HERITAGE GRIPS

ARIETE  
Heritage  
Grips Collection

130 mm



01629-CFN



VEGA ROAD



01629-CFR



VEGA ROAD



01629-CFM



VEGA ROAD

115 mm



01628-CFN



VEGA OFF-ROAD



01628-CFR




VEGA OFF-ROAD



01628-CFM



VEGA OFF-ROAD



00699-CFN



OFF-ROAD



00699-CFR



OFF-ROAD



00699-CFM



OFF-ROAD



01604-CFN



OFF-ROAD



01604-CFR



OFF-ROAD



01604-CFM



OFF-ROAD

# ARIETE HERITAGE GRIPS

ARIETE  
Ariete Heritage  
Grips Collection

125 mm



01621-CFN



01621-CFR



01621-CFM



130 mm



00692-CFN



00692-CFR



00692-CFM







Danilo Petrucci - Photo Alex Farinelli

# ROAD GRIPS



# ROAD GRIPS TECHNOLOGY


built-in wire-on grooves with space to tighten the wire




# ARIES GRIPS




125 mm - 4 7/8"



02636-R Medium





02636 Soft



02636/H Medium



02636-N Soft



02636/C-N Soft



02636-Gold Medium




# ALU-RUB GRIPS & BAR WEIGHTS



## UNIVERSAL FITTING

## LOCK-ON GRIPS

- alluminio leggerissimo, ultra resistente
- manopola destra: compatibile con i comandi di serie
- manopola sinistra: fissaggio di sicurezza con viti
- chiave a brugola compresa
- superlight and extra resistant aluminium
- right grip: suitable for standard twist grips
- left grip: screw fastening
- allen key provided
- aluminio ligero y ultra-resistente
- puño derecho: compatible con el acelerador de serie
- puño izquierdo: compatible con los tornillos de seguridad
- llave allen incluida



02631-GO

- massa in alluminio anodizzato ricavato dal pieno
- viti in acciaio Inox antiruggine
- 2 parti in gomma vulcanizzata all'interno del manubrio
- masa en aluminio anodizado sacada de la parte llena
- tornillos en acero inoxidables anti óxido
- 2 partes de goma vulcanizada en el interior del manillar
- anodised body machined from billet alloy
- stainless steel screws
- 2 vulcanised rubber spacers to grip the i.d. of the bar



# ALU-RUB GRIPS



02631-N



02633-N



02631-ALL



02633-ALL



02631-GO



02633-GO



## SPARE PARTS Pack 2 pcs.



12999



13905



12998



## BARWEIGHT APPLICATIONS



# ESTORIL GRIPS



# SUPERBIKE GEL



# STANDARD GRIPS



# STANDARD GRIPS



# STANDARD GRIPS


120 mm



01685/SSF



120 mm



01680/SSF



120 mm



01694/SSF



120 mm




01679/SSF



# STANDARD GRIPS

125 mm




02636-N



02636/C-N



125 mm



02636/H



125 mm



02636



125 mm



01682/SSF



# STANDARD GRIPS

125 mm



01616 Foam Plus + TP Caps



125 mm



01690/F



130 mm



01612  
01612/SS



130 mm



02613-N



# NEWS

# STANDARD GRIPS

115 mm



02637/SSF HONDA



120 mm



02639/SSF KYMCO



125 mm



02638/SSF YAMAHA



# ARIETE GRIPS BY BRAND



Leone 59 - Lorenzo Atzori - Photo Sempre in tempo

# SUITABLE FOR BMW GRIPS


125 mm



02624/L  
Ø26-26

02624/C  
Ø26-26

02624/LN  
Ø26-26



01690/F  
Ø22-26

01690/F/24  
Ø26-26

01690/F24N  
Ø26-26



130 mm



02634

Ø22-26 Rubber




# SUITABLE FOR BMW TELELEVER BMW BOXER

BMW CC. : 850, 1100, 1150, 1200  
BMW SERIES: R, RS, RT, S, GS, GS ADVENTURE



13911  
cuffia snodo/ ball joint boot/ fuelle rotula dirección



## BRAKE CALIPERS SEAL KIT

BMW SERIES: R65 (85-95), R80 (81-95), R100 (77-84),  
R1100 (92-2001), K75 (85-95), K100 (83-92), K1100 (92-96)



13855-PI  
Guarnizioni pinza freno / Brake calipers Seal kit / Juntas de pinzas de freno

## EPDM HP SPECIAL COMPOUND



# SUITABLE FOR HONDA GRIPS

120 mm



01687-C2R



01661/SSF



01686/SSF



01686/SS



125 mm



01682/SSF



130 mm



01612  
01612/SS



# SUITABLE FOR KAWASAKI GRIPS

120 mm



01685/SSF



01679/SSF



02625/SSF



125 mm



01687-NJ



01687-ZX



# SUITABLE FOR SUZUKI GRIPS

120 mm



02623/SSF



01680/SSF



125 mm



01687-GSRA



# SUITABLE FOR YAMAHA GRIPS

120 mm



01687-R1



01694/SSF



01681/SSF



01681/A



02626/SSF OPEN  
02626/SS CLOSED



02626/A/F OPEN  
02626/A CLOSED



115 mm



01663/SSF



# SUITABLE FOR PIAGGIO GRIPS

125 mm



01683



01683-M



01609/V Vespa  
Ø22-22 - 7/8"



120 mm



01678



130 mm



01626/V Vespa  
Ø22-22 - 7/8"



# VITALITY GRIPS



120 mm - 4 3/4"




02635/A-R



02635/A/FR




## FLUO COLOR




02635/AFAS



02635/A-AS



02635/A/FN



02635/A-N



02635/AFVF



02635/A-VF



02635/AFOF



02635/A-OF



02635/AFGF



02635/A-GF

# SCOOTER GRIPS

120 mm



01670-A



01670



01668/A



02632/A/F



02632/A



75 mm  
Pack 2 pcs.



11944 A.S.P.



# HARRI'S ROAD GRIPS

**Harri's®**

120 mm



01687-HRR



01687-HRGR



120 mm



120 mm



01687/F-NC



01687-NC



120 mm



01687




01687/F  
01687/LF 125 mm





Edgardo BoSELLA - Photo D.Messora

## PUZZLE TANK PROTECTORS



12970-R

12970-T  
Trasparente - Transparent12970-TR  
Trasparente - carbonio  
Transparent - carbon look

12970

- resinatura trasparente resistente ai raggi UV
- materiale antigraffio e durevole
- adesivo di alta qualità
- (non danneggia la vernice del serbatoio)

- perfectly UV-resistant transparent resin
- anti-scratch and long-lasting material
- top quality adhesive
- (no damage to fuel tank)

- resina transparente resistente a los rayos UV
- material anti-rayas y resiste el paso del tiempo
- material adhesivo de altísima calidad
- (no daña la pintura del depósito)

## RACING VALVES FOR TUBELESS

- valvola di sicurezza in alluminio per pneumatici tubeless  
 - l'angolazione a 90° permette l'accesso durante il gonfiaggio  
 - mantiene la pressione del pneumatico  
 - conf. 2 pezzi

- safety valve in aluminium for tubeless wheels  
 - practical access for inflation  
 - no loss of pressure in the tyre  
 - sold in pairs

- válvula de seguridad en aluminio para neumáticos sin cámara  
 - la inclinación de la válvula a 90° permite un práctico acceso para el hinchado  
 - mantiene la presión del neumático  
 - se venden por pares



### TUV TA - MAN - 9084/03

cod.11970= Ø 11,3 STANDARD RIMS

cod.11971= Ø 8,3 SPECIAL RIMS Antera, Brembo, Marchesini, Marvic, OZ Racing



11970 - GOLD  
 Ø 11,3

11970-R  
 Ø 11,3

11970  
 Ø 11,3

11971-N Ø 8,3  
 11970-N Ø 11,3

11971 - ALL Ø 8,3  
 11970 - ALL Ø 11,3

ARI THE ORIGINAL FORK OIL SEALS

**ARI**  
THE ORIGINAL  
**FORK OIL SEALS**

**Kariete**<sup>®</sup>



# ARI THE ORIGINAL FORK OIL SEALS

AVOID ARI SEAL FAKES

7 STEPS TO IDENTIFY AN ORIGINAL ARI BY ARIETE



# ARI THE ORIGINAL FORK OIL SEALS

## ARI THE ORIGINAL FORK OIL SEALS BY ARIETE

L'anello di tenuta paraolio di Ariete è il top esistente nel mercato per l'alta qualità dei materiali utilizzati e l'elevatissimo grado di finitura. La linea ARI con oltre 160 tipi diversi equipaggia più di 35.000 modelli di moto con forcelle tradizionali e rovesciate (USD) dal funzionamento teleidraulico degli anni 60 a quello pneumatico (Aria) sempre più attuale nel mondo Off-Road. ARI, il paraolio di Ariete sinonimo di perfezione assoluta.

Ariete fork oil-seals are the best you can get. This claim is justified by the quality of the materials used, and attention to detail in their design and manufacture. The ARI range has more than 160 different seal sizes. These cover more than 35,000 different motorcycle models with both traditional and upside-down forks. We have seals for classic 1960s telescopic forks extending through to the air forks now common both on- and off-road. ARI fork oil-seals - perfection, from Ariete.

El retén de horquilla Ariete representa el máximo nivel alcanzado en el mercado existente gracias a la alta calidad de los materiales utilizados y también al alto grado de acabado. La línea ARI, con más de 160 tipos diferentes equipa a más de 35.000 modelos de motocicletas con horquillas convencionales y telescopicas invertidas (USD), desde aquellas de funcionamiento hidráulico de los años '60 hasta las de funcionamiento neumático (Aire) cada vez más presentes en el mundo Off-Road. ARI, el retén de Ariete sinónimo de perfección absoluta.



**ARIETE FORK OIL SEALS, gli specifici anelli di tenuta per forcelle**

L'anello di tenuta paraolio per forcella prodotto dalla Ariete si differenzia da tutti gli altri disponibili sul mercato per l'alta qualità ed unicità del materiale utilizzato per la sua realizzazione: l'elastomero carbossilico XNBR.

Questa mescola infatti possiede caratteristiche eccezionali di resistenza alla abrasione, alla temperatura ed agli olii con particolari additivi usati nelle moderne forcelle per moto e scooter. L'anello di tenuta per forcella lavorando in senso longitudinale sullo stelo è sottoposto ad una notevole azione abrasiva che unita al calore generato dallo scorrimento provoca un processo di deterioramento della parte in gomma che già è messa a dura prova dall'aggressione chimica degli olii con relativi additivi. La normale gomma nitrilica NBR, solitamente impiegata da tutti i produttori di anelli paraolio, è una scelta mediocre determinata da fattori di economicità.

Lo Staff Tecnico della Ariete, dopo approfonditi studi e sperimentazioni e supportato dall'esperienza maturata dall'Azienda in settanta anni di attività, ha adottato per questa linea di anelli paraolio l'elastomero carbossilico XNBR che rispetta al tipo normale NBR presenta le seguenti performances:

Le sofisticate tecnologie di produzione impiegate dall'Ariete permettono di ottenere prezzi altamente competitivi nonostante il costo dell'elastomero XNBR sia quasi il doppio del tipo normale permettendo al Cliente Ariete di avere un prodotto di altissima qualità che soddisfi le più esigenti aspettative ad un prezzo equo.

**ARIETE FORK OIL SEALS, custom-made for your fork**

Ariete fork oil seals are different! The quality of their execution is matched by the unique nature of the material used: the carboxylated elastomer known as XNBR.

This compound offers unique characteristics of resistance to abrasion, to high temperatures, and to the complex lubricants with numerous additives, which are used in modern forks as fitted to motorcycles and scooters.

The reciprocating action of the fork tube against the seal subjects it to a notable degree of abrasion, which is complicated by the heat generated as a result of hydraulic displacement within the fork, plus the friction of the components involved. This mechanical wear and tear leads to accelerated ageing of the rubber which is also obliged to deal with the chemical action of the various additives in the lubricant. Oil seals are normally made from a nitrile rubber, known as NBR. This is used because it is cheap, and plentiful, not because NBR is the best material for the job. Our technical staff have accumulated 70 years of experience in the rubber industry, and have spent many years looking for a better material for the manufacture of oil seals. In our view, the carboxylated elastomer known as XNBR has the following major advantages when compared with NBR. Although the cost of XNBR is almost twice that of NBR, the sophisticated technology used to make our oil seals enables us to put them on the market at highly competitive prices. In this way, the Ariete Customer enjoys the benefits of a very high quality product, which satisfies the most demanding requirements, at a competitive price.

**ARIETE FORK OIL SEALS, el retén específico para horquilla**

El retén de horquilla producido por Ariete se diferencia de otros productos existentes por la alta calidad y unicidad del material utilizado para su fabricación: el elastómero carbosilicio XNBR.

Esta mezcla posee en efecto características excepcionales de resistencia a la abrasión, a la temperatura y a los aceites que con aditivos muy específicos se utilizan en las horquillas de motocicleta y scooter. El retén para horquilla, al trabajar en sentido longitudinal a la barra está expuesto a una notable acción abrasiva que unida al calor provocado por la fricción generan un proceso de deterioro de la goma. Es importante entender que esta ya ha sido puesta a una dura prueba debido a la agresión de los aditivos que tiene los aceites para horquilla. Los compuestos de gomas nitrílicas NBR, normalmente empleadas en la producción de todos los retenes de horquilla es una mediocre elección determinada por factores exclusivamente económicos. Setenta años de experiencia, sobre todo en el exigente mundo industrial, han determinado que el equipo dirigente de Ariete determinara que la producción de estos productos ha de tener de forma exclusiva el elastómero de carbonosilicio XNBR que respecto a los tipos normales NBR tiene las siguientes ventajas:

Las sofisticadas técnicas de producción empleadas en Ariete permiten obtener unos precios altamente competitivos a pesar de que el costo del compuesto XNBR es prácticamente el doble del tipo normal. Para nosotros es importante explicar que el Cliente Ariete obtiene unos productos de altísima calidad que satisfarán las mas exigentes expectativas.

TEST	STANDARD	NBR NORMAL	XNBR
Load to breaking point (PSI)	ASTM D412	2130	3270
NBS abrasion resistance %	ASTM D1630	210	590

**ARISIL lo speciale grasso lubrificante per anelli di tenuta**

Lanello di tenuta paraolio per forcella ARI è prodotto con una mescola di gomma specifica per resistere agli olii, con relativi additivi, utilizzati nelle sospensioni. Questa mescola è completamente diversa da quella usata normalmente per gli anelli paraolio per alberi rotanti, in quanto deve resistere in modo diverso all'aggressione chimica causata dagli olii ed al lavoro meccanico in senso longitudinale tipico della forcella. I nostri anelli di tenuta paraolio ARI sono inoltre concepiti con una struttura di labbi di tenuta particolari con diverse sezioni per meglio resistere e al tempo stesso ridurre il più possibile l'attrito dello stelo all'interno del paraolio. Nel corso degli anni si è evidenziato il ruolo indispensabile di un lubrificante separatore tra lo stelo e l'anello in gomma che riduca il più possibile l'attrito senza compromettere la tenuta della guarnizione. Per risolvere questo problema abbiamo testato diversi grassi e la scelta è caduta su uno speciale grasso siliconico, prodotto negli USA studiato appositamente per le applicazioni gomma-metalllo degli organi meccanici dei veicoli spaziali della NASA. Il vantaggio di questo grasso particolare che abbiamo denominato ARISIL sta nel fatto di prolungare la vita del paraolio preservando l'integrità delle caratteristiche fondamentali di resistenza chimica ed elastica. Per questo motivo in tutte le nostre confezioni di ARI FORK OIL SEALS includiamo una bustina monodose di ARISIL che serve per il corretto montaggio dei 2 paraolio.

**ARISIL special oil seal lubricant**

ARI fork oil seals are made from a rubber compound specifically developed to work with the lubricants used in front forks, with all their various additives. This compound is completely different from that normally used for rotating shaft seals, since the physical environment inside a fork with its reciprocating movement, and the specialist lubricants, are completely different. We have designed ARI oil seals with a variety of lip profiles to make them longer lasting, while reducing to a minimum the friction effect against the moving shaft. Over the years, we have discovered the key role of a separating lubricant between the fork tube and the rubber of the oil seal to reduce to a minimum the surface friction, without affecting the function of the oil seal. After exhaustive testing, we have chosen a lubricant which is produced in the USA, and devised specifically as a rubber/metal lubricant for mechanical components used in the NASA space program. The advantage of this special grease, which we call ARISIL, is that it extends the life of the oil seal, and helps it retain its vital characteristics of flexibility and chemical resistance. For this reason, every set of ARI FORK OIL SEALS contains a single dose sachet of ARISIL, sufficient to lubricate the two oil seals supplied.

**ARISIL la grasa especial para retenes**

Los retenes de horquilla ARI se han fabricado con un tipo de goma resistente a los aditivos que llevan los aceites de suspensión. Esta mezcla es completamente diferente de la que pueda utilizarse para los retenes de cigüeñal, ya que debe resistir de una forma diferente la agresión química causada por el aceite, así como el trabajo mecánico en el sentido longitudinal propio de la suspensión. Nuestros retenes ARI se han proyectado, además, con estructuras en el borde del labio diferentes para mejorar la resistencia y al mismo tiempo reducir el máximo posible la fricción de la barra en el interior del retén. La experiencia ha demostrado que es necesario un lubricante separador entre la barra y el retén, su misión es reducir la fricción sin deteriorar la estanqueidad de la junta. Para resolver este problema, probamos diversos componentes grasos, el escogido fue una grasa silicona, producida en los U.S.A. y especialmente estudiada como aplicación para goma - metal de los organos mecánicos de los vehículos espaciales de la N.A.S.A. Las ventajas de esta grasa, que hemos denominado ARISIL, reside en el factor que permite alargar la vida del retén preservando la integridad de las características fundamentales de resistencia química y elástica. Por este motivo hemos incluido en todos nuestros kits de reparación ARI FORK OIL SEALS, una bolsa de ARISIL que sirve para montar de forma correcta los dos retenes.

**TYPICAL CHARACTERISTICS**

Product type:	GREASE
Colour:	WHITE
Composition:	SILICONE LUBRICANT WITH ADDITIVES
Temperature range	-65° degrees c => +175° degrees c
Coefficient of friction	0.003 - load 6.3 n at 10 mm per second 24h
USA military specification	G-4343 C



10945 1 gr. - 0,03527 ounces 12950 100 gr. - 3,527 ounces

Questo attrezzo per montare correttamente i paraolio su forcelle tradizionali e rovesciate (upside down) è disponibile per paraolio da 35 a 51 mm di diametro interno.  
Ricavato dal pieno in acciaio con trattamento galvanico anticorrosione ed ha una superficie esterna lavorata per una presa sicura.  
Il peso è tra gli 800 ed i 1000 grammi a seconda delle misure. Viene venduto singolarmente.

The Split fork seal driver is a tool used for changing the fork seals on conventional and upside down forks. Available for fork seals in 35 mm thru 51 mm configurations.  
Manufactured from plated carbon steel, featuring split design and weighted body. Weight range from 800 to 1.000 gr. Sold individually.

Este útil para el montaje correcto de los retenes en horquillas tradicionales e invertidas (upside down) está disponible para retenes de 35 a 51 mm de diámetro interno. Realizado a partir de un bloque de acero mecanizado, con un tratamiento anticorrosión, posee una superficie externa que permite un perfecto agarre.  
El peso está comprendido entre 800 y 1000 grs. Se vende por unidades.

CODE	TUBE Ø mm	CODE	TUBE Ø mm
12930/35	Ø 35	12930/44	Ø 44
12930/36	Ø 36	12930/45	Ø 45
12930/37	Ø 37	12930/46	Ø 46
12930/38	Ø 38	12930/47	Ø 47
12930/39	Ø 39	12930/48	Ø 48
12930/40	Ø 40	12930/49	Ø 49
12930/41	Ø 41	12930/50	Ø 50
12930/42	Ø 42	12930/51	Ø 51
12930/43	Ø 43		



SIZE	TYPE	CODE	SIZE	TYPE	CODE	SIZE	TYPE	CODE
24 X 32 X 7/7,5	KCY	ARI.110	33 X 45 X 8/10,5	DC4Y	ARI.100	38 X 49,1/54 X 6/15,5	Y	ARI.092
25,7 X 37 X 10,5	TC4	ARI.075	33 X 45,5/49,7 X 4,5/13,8	Y	ARI.121	38 X 50 X 10,5	TC4	ARI.021
26 X 35,5/37,7 X 6/13,5	Y	ARI.076	33 X 46 X 10,5	TC4	ARI.004	38 X 50 X 11	TC4	ARI.062
26 X 37 X 10,5	TC4	ARI.052	33 X 46 X 11	DCY	ARI.073	38 X 50 X 7/8	TCL	ARI.029
27 X 39 X 10,5	TC4	ARI.009	33 X 46 X 11	DC4	ARI.096	38 X 50 X 8/9,5	TCY	ARI.032
28 X 38 X 7	SC	ARI.010	33 X 46,5/53 X 5,8/15	XICY	ARI.140	38 X 52 X 11	DCY	ARI.059
28 X 40 X 8	TC4	ARI.111	33,34 X 49,21 X 12,7/17,5	TCY	ARI.038	38,5 X 48 X 7/8,7	TBCL	ARI.084
28,5 X 40 X 7/11	TC3Y	ARI.160	34 X 46 X 10,5	TB4	ARI.002	39 X 51 X 10,5/12	TCL	ARI.070
29 X 41 X 11	DCY	ARI.055	35 X 46 X 11	DC4Y-2	ARI.149	39 X 51 X 8/10,5	TCL	ARI.058
29,8 X 40 X 7	TC4	ARI.098	35 X 46,8/51,3 X 5/12,5	SG5Y	ARI.148	39 X 51 X 8/10,5	DC4Y-1	ARI.156
30 X 39/43 X 12	DG5Y	ARI.112	35 X 47 X 10	DCY	ARI.040	39 X 51 X 8/9,5	TCL+Y	ARI.068
30 X 40 X 7/8	KCY	ARI.080	35 X 47 X 10/10,5	TCL	ARI.022	+ 39 X 51,1/55,6 X 4,7/11,5	XICY	ARI.154
30 X 40 X 7/9	TCY	ARI.020	35 X 47 X 7,5/10	DCY	ARI.066	39 X 51,5 X 4,8/14	DCY	ARI.037
30 X 40 X 8/12	TC6YI	ARI.113	35 X 47 X 7/9	TCY	ARI.012	39 X 52 X 11	DC4Y	ARI.035
30 X 40 X 8/9	TCY	ARI.079	35 X 47 X 9,5/10,5	TC4Y	ARI.051	40 X 49,5 X 7/9,5	TCL	ARI.033
30 X 40,5 X 10,5/12	TCL	ARI.048	35 X 48 X 10,5	TC4	ARI.024	40 X 52 X 8/9,5	DC4	ARI.157
30 X 42 X 10,5	TB4	ARI.016	35 X 48 X 11	DCY	ARI.003T	40 X 52 X 8/10,5	TCL	ARI.063
30 X 42 X 8/11	DCY1	ARI.142	35 X 48 X 13/14,5	TCL	ARI.003R	40 X 52 X 10	DCY	ARI.023
31 X 43 X 10,5	DCY	ARI.005	35 X 48 X 8/10,5	TCL	ARI.061	40 X 52 X 10/10,5	TCL	ARI.124
31,5 X 45 X 7,1	TG4	ARI.161	35 X 48 X 8/9,5	TCY	ARI.049	40 X 52,5 X 4,6/14	Y	ARI.166
31,7 X 42 X 7/9	TCL	ARI.078	35 X 48,2 X 8/10,2	DC4Y	ARI.141	40 X 56,5 X 14 Y-2	Y-2	ARI.128
31,74 X 42 X 9	TC4	ARI.103	35 X 48,5/53 X 5,8/15	XICY	ARI.130	41 X 51 X 6	SC4	ARI.045
31,75 X 42,8/48 X 7,6/11,6	Y+TCL	ARI.077	36 X 46 X 7/9	TCY	ARI.043	41 X 52,2 X 11	DCY1	ARI.143
+ 31,7 X 42 X 7/9			36 X 46 X 10,5	TC4	ARI.001	41 X 52,5 X 4,6/14	Y-2	ARI.150
31,8 X 42 X 7	TC4	ARI.133	36 X 48 X 11	TC4-1	ARI.114	41 X 53 X 8/9,5	TCY	ARI.056
32 X 42 X 7	SC	ARI.013	36 X 48 X 11/12,5	TCL	ARI.025	41 X 53 X 8/10,5	TCL	ARI.057
32 X 42 X 7/9	TCY	ARI.011	36 X 48 X 8/9,5	TCL	ARI.046	41 X 53 X 8/10,5	DC	ARI.102
32 X 42 X 8/9	TCY	ARI.014	36 X 48,5/52,5 X 6/14	Y	ARI.115	41 X 53 X 10,5	TC4	ARI.041
32 X 43 X 12,5	TB4	ARI.031	37 X 47 X 11	DCY1	ARI.169	41 X 53 X 11	TC4	ARI.132
32 X 44 X 10,5	TC4	ARI.060	37 X 47,4/51,5 X 4,6/14	Y-1	ARI.170	41 X 53,5/58 X 4,8/14	XICY	ARI.138
32 X 45 X 7	TC	ARI.122	37 X 49 X 8/10	DCY	ARI.050	41 X 53,7 X 5/10	YC	ARI.128
32 X 45 X 9/11	TCL	ARI.074	37 X 49/49,4 X 8/9,5	TCL	ARI.027	41 X 54 X 11	DCY	ARI.047
33 X 43 X 6,5/7,5	TCL	ARI.015	37 X 50 X 11	DCY	ARI.044	41 X 54 X 5,6/12,7	Y-24	ARI.151
33 X 45 X 10	TC4	ARI.135	37 X 50,5 X 5,6/12,8	Y-2	ARI.162	41 X 54,3 X 5,8/15	Y	ARI.153
33 X 45 X 11	TC4	ARI.101	37,8 X 48 X 6/6,5	TCY	ARI.017	41,3 X 54 X 13/14	TACY-6	ARI.089
33 X 45 X 8/10,5	TCL	ARI.071	38 X 48 X 10	TC4	ARI.094	41,7 X 55 X 7,5/10	DCY	ARI.083

# LIST BY SIZE

# ARI THE ORIGINAL FORK OIL SEALS

SIZE	TYPE	CODE	SIZE	TYPE	CODE
41,7 X 55 X 8/10,5	TC4Y	ARI.034	48 X 58,5/62 X 6/11,5	Y-1	ARI.126
41,7 X 55 X 10/10,5	TCL	ARI.028	48 X 60 X 9,5/10,5	DC4Y-1	ARI.167
42 X 55,5 X 6/11	VCY	ARI.164	48 X 60,5/64,7 X 5/14	Y	ARI.168
43 X 52,7 X 9,5/10,5	TCY	ARI.107	48 X 61 X 11	TC4	ARI.134
43 X 52,9 X 9,2	DC4Y-1	ARI.158	48 X 61 X 6/15	Y-2	ARI.165
43 X 53,4 X 6/13	Y-1	ARI.159	49 X 60 X 10	TC4	ARI.104
43 X 54 X 9,5/10,5	TCL	ARI.090	49 X 60,5 X 6/10,5	Y-1	ARI.163
43 X 54 X 11	TC4	ARI.053	50 X 59,6 X 7/10,5	DC4Y	ARI.085
43 X 54 X 11	DCY	ARI.118	50 X 60/63 X 7/13	Y	ARI.086
43 X 54,2/59,8 X 6/11	Y-11	ARI.129	50 X 62 X 9,5/11,5	DC4Y	ARI.125
43 X 54,3 X 6/13	Y-1	ARI.152	50 X 63 X 11	TGY	ARI.093
43 X 54,3 X 6/15,4	Y	ARI.155	50 X 63 X 11	DCY	ARI.136
43 X 54,4 X 4,6/14	Y	ARI.119	50 X 63,4 X 4,6/14	SG5Y	ARI.137
43 X 55 X 9,5/10,5	TCL	ARI.072			
43 X 55 X 9,5/10,5	TC4	ARI.109			
43 X 55 X 10,5/12	TCL	ARI.036			
43 X 55 X 11	TC4	ARI.123			
43 X 55 X 11/14	TCL	ARI.127			
43 X 55,7/60 X 5/14	XICY	ARI.144			
45 X 57 X 11	DCY	ARI.067			
45 X 57,3/62 X 6/13	SG5Y	ARI.091			
45 X 58 X 8,5/11	DG4Y	ARI.082			
45 X 58 X 11	DCY	ARI.120			
45 X 58,3/62,3 X 4,5/11	Y-9	ARI.081			
46 X 58 X 8,5/11,5	DC4Y-1	ARI.146			
46 X 58 X 10,5	DC4	ARI.108			
46 X 58,1 X 9,5/11,5	DCY	ARI.087			
46 X 58,5 X 5/10	YC	ARI.131			
46 X 58,5/62,3 X 5,8/13,2	Y-9	ARI.147			
46 X 58,5/62,5 X 5/11,5	Y	ARI.088			
47 X 58 X 10	TC4	ARI.105			
47 X 58,5/62 X 6/10,3	SG5	ARI.106			
48 X 57,7 X 9,5/10,3	TCL1	ARI.116			
48 X 57,91 X 9,5/11,5	DC4Y	ARI.139			
48 X 58 X 9/9,8	TCL1	ARI.145			
48 X 58,2 X 8,5/10,5	DC4Y	ARI.117			

RED = DUST SEALS

ROSSO = PARAPOLVERE

ROJO = GUARDAPOLVO



## MX APPLICATION LIST

X No Bike - Not Available

# MX APPLICATION LIST

X No Bike - Not Available

BIKE	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998
Kawasaki KX 125/250	x	x	x	x	x	x	x	x	x	ARI.117	ARI.087	ARI.087	ARI.087								
CAP	x	x	x	x	x	x	x	x	x	ARI.126	ARI.088	ARI.088	ARI.088								
250/F	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.105	x	x	x	x	x	x								
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.106	x	x	x	x	x	x								
450/F	ARI.104	ARI.104	ARI.104	ARI.104	ARI.145	ARI.145	ARI.145	ARI.145	ARI.145	ARI.117	ARI.117	ARI.117	x	x	x	x	x	x	x	x	x
CAP	ARI.163	ARI.163	ARI.163	ARI.163	ARI.126	x	x	x	x	x	x	x	x	x							
Suzuki RM 80/85	ARI.044	x	x																		
CAP	ARI.162	x	x																		
125	x	x	x	x	x	x	x	x	x	ARI.105	ARI.104										
CAP	x	x	x	x	x	x	x	x	x	ARI.106	ARI.104										
250	x	x	x	x	x	x	x	x	x	ARI.105	ARI.104	ARI.104									
CAP	x	x	x	x	x	x	x	x	x	ARI.106	ARI.104										
250/Z	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.117	ARI.105	x	x	x	x	x									
CAP	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.126	ARI.106	x	x	x	x	x									
450/Z	ARI.104	ARI.104	ARI.104	ARI.104	ARI.117	ARI.117	ARI.105	x	x	x	x	x									
CAP	ARI.163	ARI.163	ARI.163	ARI.163	ARI.126	ARI.126	ARI.106	x	x	x	x	x									
Ktm SX																					
125	ARI.139	ARI.082																			
CAP	ARI.126	-	ARI.126	ARI.126	ARI.126	ARI.081															
250	ARI.139	x	x	x	x	x															
400/450/525	ARI.139	ARI.085																			
CAP	ARI.126	-	ARI.126	ARI.126	ARI.126	ARI.086															
Husqvarna TC																					
85	ARI.158	ARI.158	ARI.158	ARI.158	ARI.158	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
CAP	ARI.159	ARI.159	ARI.159	ARI.159	ARI.159	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
125	ARI.139	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
CAP	ARI.126	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
250	ARI.139	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
CAP	ARI.126	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
Husqvarna FC																					
250	ARI.139	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
CAP	ARI.126	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
350	ARI.139	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
CAP	ARI.126	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
450	ARI.139	x	x	x	x	x	x	x	x	x	x	x	x	x	x						
CAP	ARI.126	x	x	x	x	x	x	x	x	x	x	x	x	x	x						

# TECHNICAL ACCESSORIES



Pedro Bianchi Prata - Photo Xrepo

MASTER CYLINDER  
SEAL KITSBRAKE CALIPER  
SEAL KITS

GUARNIZIONI PINZE FRENO  
BRAKE CALIPERS SEAL KIT  
JUNTAS PINZAS DE FRENO



GUARNIZIONI POMPA FRENO  
BRAKE MASTER-CYLINDERS SEAL KIT  
JUNTAS BOMBAS DE FRENO

**Ariete** introduces a new line of seal kits to suit brake calipers and master-cylinders for motorcycles and scooters. These are after-market replacements which fit many of the most popular models on the market.

The material used for the seals is a special compound of **EPDM HP**, developed by Ariete and fully compatible with the most common brake fluids (DOT3 and DOT4).

Ask for our special catalogue covering applications for different models of motorcycles and scooters.

**Ariete** presenta una nuova linea di guarnizioni per pinze e pompe freno, per moto e scooter, quale ricambio non originale delle più diffuse marche presenti nel mercato.

Il materiale utilizzato per le guarnizioni è una speciale mescola a base di **EPDM HP** messa a punto da Ariete e particolarmente resistente ai liquidi per freno più comunemente usati, DOT3 e DOT4.

Chiedere il catalogo specifico delle applicazioni ai vari modelli di moto e scooter.

**Ariete** presenta una nueva linea de juntas para pinzas y bombas de freno para motos y scooter, como pieza de repuesto no original de las más difundidas marcas del mundo.

El material usado para las juntas es una especial mezcla de **EPDM HP**, estudiada por Ariete y particularmente resistente a los líquidos para los frenos más comúnmente usados, como DOT3 y DOT4.

Pidan el catálogo específico de las aplicaciones a los varios modelos de motos y scooter.

# TECHNICAL ACCESSORIES

## DOT3 - DOT4 FLUID PIPE




12978/5 6x10 mm Pack. 5 mt. - 16' 5" black

Tubo raccordo tra la pompa freno ed il serbatoio del liquido freni DOT3 - DOT4

Low-pressure hydraulic pipe to fit between remote reservoir and master cylinder, suits DOT3 - DOT4 fluid

Tubo enlace con bomba de freno y deposito para liquido DOT3 - DOT4





# FUEL PIPES

Size	Code	Color	Pack	Use	Structure
1,5 x 4	11949/10		10 mt. - 32' 10"	CARBURETTOR	
1,5 x 4	11949/10-T		10 mt. - 32' 10"	CARBURETTOR	
2 x 5	03998/10		10 mt. - 32' 10"	CARBURETTOR	
2 x 5	03998/10-T		10 mt. - 32' 10"	CARBURETTOR	
3 x 6	03999/10		10 mt. - 32' 10"	CARBURETTOR	
3 x 6	03999/10-T		10 mt. - 32' 10"	CARBURETTOR	
4 x 7	01925/10		10 mt. - 32' 10"		
4 x 7	01925/10-S		10 mt. - 32' 10"	UNLEADED FUEL	DOUBLE
4 x 7	01925/10-V		10 mt. - 32' 10"		
4 x 7	01925-V		100 mt. - 328'		
4,5 x 9	01958/10		10 mt. - 32' 10"		
4,5 x 9	01958/10-V		10 mt. - 32' 10"		
4,5 x 9	01958-V		100 mt. - 328'		
4,8 x 9	11922/10-S		10 mt. - 32' 10"	UNLEADED FUEL	DOUBLE
5 x 8	01922		100 mt. - 328'		
5 x 8	01922/10		10 mt. - 32' 10"		
5 x 8	01922/10-V		10 mt. - 32' 10"		
5 x 8	01922-V		100 mt. - 328'		
5,5 x 10	03904/10		10 mt. - 32' 10"		
5,5 x 10	03904/10-S		10 mt. - 32' 10"	UNLEADED FUEL	DOUBLE

# FUEL PIPES

## Structure

Size	Code	Color	Pack	Use	Structure
5,5 x 10	03904/10-V		10 mt. - 32' 10"		
6 x 9	01958/A		100 mt. - 328'		
6 x 9	01958/A/10		10 mt. - 32' 10"		
6 x 9	01958/A10G		10 mt. - 32' 10"	UNLEADED FUEL	MONO
6 x 9	01958/A10S		10 mt. - 32' 10"	UNLEADED FUEL	DOUBLE
6 x 9	01958/A10V		10 mt. - 32' 10"		
6 x 9	01958/A-V		100 mt. - 328'		
6 x 9	09970/5		5 mt. - 16' 5"		DOUBLE
6 x 9	13909/10EN		10 mt. - 32' 10"	E10 FUEL	DOUBLE
6 x 9	13909/10EV		10 mt. - 32' 10"	E10 FUEL	DOUBLE
6 X 13	01902/10		10 mt. - 32' 10"		
6 X 13	01902/10-V		10 mt. - 32' 10"		
6 X 13	01902-V		50 mt. - 164'		
6,5 X 11	11923/10-S		10 mt. - 32' 10"	UNLEADED FUEL	DOUBLE
7 x 10	01922/A		100 mt. - 328'		
7 x 10	01922/A/10		10 mt. - 32' 10"		
7 x 10	01922/A10V		10 mt. - 32' 10"		
7 x 10	01922/A-V		100 mt. - 328'		
8 x 13	11932/10-V		10 mt. - 32' 10"		
8 x 13	13912/10EN		10 mt. - 32' 10"	E10 FUEL	DOUBLE
8 x 13	13912/10EV		10 mt. - 32' 10"	E10 FUEL	DOUBLE
10 x 15	11934/10-V		10 mt. - 32' 10"		

# ARIETE MERCHANTISING

## OFF-ROAD GRIPS



## ROAD GRIPS



## OFF-ROAD GOGGLES



# ARIETE MERCHANDISING



2,80 m.



DIS-10

50 cm.



12965/A

## RACING GOGGLES CASE

- 1 tasca ampia per tear-offs con chiusura zip;
- 1 tasca aperta per le lenti;
- 3 tasche di dimensioni varie;
- 4 divisori interni rimovibili fissati con velcro;
- 1 large pocket with zip closure for tear-offs;
- 1 open pocket for lenses;
- 3 pockets in varied sizes;
- 4 removable internal dividers with Velcro;
- 1 bolsillo amplio con cremallera para tear-offs;
- 1 bolsillo abierto para lentes;
- 3 bolsillos interiores, distintos formatos;
- 4 divisores removibles con velcro;



# ARIETE MERCHANDISING



12969-NN  
Polarized lens Cat.3



12969-NR  
Polarized lens Cat.3



12965-B



12971-AHR



12971-B14  
Size S/M; 6 3/4"-7 1/4"

# ARIETE MERCHANDISING



## FEATHER

14901-FS size S  
14901-FM size M  
14901-FL size L  
14901-FXL size XL

## MEMORIAL

14903-MS size S  
14903-MM size M  
14903-ML size L  
14903-MXL size XL

## RACING

14902-RS size S  
14902-RM size M  
14902-RL size L  
14902-PXL size XL

## HERITAGE

14904-HS size S  
14904-HM size M  
14904-HL size L  
14904-HXL size XL

## HERITAGE Original Vintage T -shirt

14905-HES size S  
14905-HEM size M  
14905-HEL size L  
14905-HEXL size XL



# OFF-ROAD GOGGLES OVERVIEW

## 07 AAA Junior

	12960-ABIA
	12960-ANER
	12960-ABLU
	12960-ARED
	12960-AORA

## ADRENALINE PRIMIS

	14001-PRR
	14001-PRAA
	14001-PRO
	14001-PRN

## ADRENALINE PRIMIS

	14001-PRB
	14001-PRL

## RIDING CROWS BASIC

	13950-NNV 13953-NNV
	13950-NNA 13953-NNA
	13950-BNB 13953-BNB
	13950-RBB 13953-RBB
	13950-OBB 13953-OBB
	13950-ABB 13953-ABB

# OFF-ROAD GOGGLES OVERVIEW

## ADRENALINE PRIMIS MULTILAYER



14001-OBS



14001-OBR



14001-ORR



14001-OAA



14001-ONV



14001-ONS

## ADRENALINE PROFI



14001-PRAG



14001-TLO



14001-NGF

## ADRENALINE PROFI



14001-BBN



14001-NNV



14001-BAG

## RIDING CROWS TOP

13950-TLOV  
13953-TLOV13950-TLRA  
13953-TLRA13950-TBAG  
13953-TBAG13950-TNGF  
13953-TNGF13950-TBGR  
13953-TBGR13950-TRGF  
13953-TRGF

# ROAD GOGGLES OVERVIEW

## FEATHER



14920-NNBC

14920-NNBL

14920-TNB

14920-MMV

14920-TCCR

14920-ABVA

14920-TNBO

14920-BNBG

14920-MVC

14920-GCG



Sara Coloret - Photo Jump Sports



Victor Guerrero - Photo 96 Racing Team



Roberto Roggiani  
Photo Quad Evolution Team

# ARIETE FRIENDS



Greta Marina Fontana  
Photo Adventureschool



Wade Young - Photo FutureMedia



Francesco Muratori - Photo Isabel Fanoni



Roi Ucar - Photo -A-Ucar



Angelo Gaminbino - Photo Enduroblogger



Team Compaltai Ravera - Photo FCrocco



Jürgen Mohr - Quad & ATV Champion




Marco Belli - Photo Di Traverso



Mirko Gritti - Photo Team Miglio

# ARIETE FRIENDS





**harris®**

**Karlete®**

**ARI**  
THE ORIGINAL  
FORK OIL SEALS



are the trademark of

**SANDRO MENTASTI S.R.L.**

Via Giovanni Macchi, 30 - 21100 Varese - Italy  
Tel. +39 0332 310100 - info@ariete.com

Copyright©

Sandro Mentasti s.r.l.

[www.ariete.com](http://www.ariete.com) - [www.mentasti.com](http://www.mentasti.com)

Graphic Designer [www.vanhofen.it](http://www.vanhofen.it)

Still life [www.andreaangeluccifotografo.jmdo.com](http://www.andreaangeluccifotografo.jmdo.com)

Stampa Euroteam - Brescia

**f** Ariete

**o** @ariete\_official



Copyright©  
Sandro Mentasti s.r.l.



[www.ariete.com](http://www.ariete.com) - [www.mentasti.com](http://www.mentasti.com) - [info@ariete.com](mailto:info@ariete.com)

SMQM CODE: CACC2018

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage or retrieval system without permission in writing from Sandro Mentasti s.r.l.

